

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: October 15, 2010 Signature: AM Capati
(April M. Capati)

10/792 036
C of C
S

Docket No.: LUCAS 3.0-001 CIP
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Letters Patent of:
Francavilla et al.

Patent No.: 7,467,908

Issued: December 23, 2008

For: FLUID DISPENSER ASSEMBLY

Certificate

OCT 22 2010

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

We look forward to early return of the Certificate of Correction duly certified.

Dated: October 15, 2010

Respectfully submitted,

By AM Capati
April M. Capati
Registration No.: 54,298
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000

10/20/2010 MBELETE2 00000031 121095 7467908
01 FC:1811 100.00 DA

Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,467,908
APPLICATION NO. : 10/792,036
ISSUE DATE : December 23, 2008
INVENTOR(S) : Frank Francavilla and Kevin F.X. Kearsey

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Column 1, line 19, "Dispenser's" should read --Dispensers--
Column 2, line 20, "dispensers, slows" should read --dispensers slow--
Column 2, line 21, "drives" should read --drive--
Column 3, line 48, "differs" should read --differ--
Column 3, line 53, "increases" should read --increase--
Column 3, line 64, "pump actuating" should read --pump-actuating--
Column 7, line 66, "is arranged" should read --are arranged--
Column 9, line 27, "engage" should read --engages--
Column 14, line 23, "movies" should read --moves--**

MAILING ADDRESS OF SENDER (Please do not use customer number below):

April M. Capati
LERNER, DAVID, LITTBENBERG, KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090